

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	0	analy\$4 with measur\$6 with value\$1 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 10:48	
2	BRS	0	analy\$4 with measur\$6 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 10:58	
3	BRS	2182	analy\$4 with measur\$6 with variation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 10:49	
4	BRS	24	analy\$4 with measur\$6 with variation same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:05	
5	BRS	49	analy\$4 with measur\$6 with variation\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:12	
6	BRS	20	analy\$4 with measur\$6 with variation\$1 with (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:16	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	12	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:16	
8	BRS	4	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:18	
9	BRS	2	analy\$4 with measur\$6 with subset\$1 with communicat\$3 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:22	
10	BRS	3	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:23	
11	BRS	0	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1 and (homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	51	(homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:31	
13	BRS	0	(homoscedastic or heteroscedastic) and communicat\$3 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:32	
14	BRS	8	(homoscedastic or heteroscedastic) and nois\$1 with measur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:32	
15	BRS	34	analy\$4 adj set adj value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:38	
16	BRS	1	(analy\$4 adj set adj value\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:38	
17	BRS	0	analy\$4 adj set adj value\$1 and contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	3	analy\$4 with measur\$6 with (deviation\$1 or var\$6) with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:11	
19	BRS	285	measur\$6 with variation with residual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:19	
20	BRS	9	measur\$6 with variation with residual and subset\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:21	
21	BRS	7	defin\$3 with (subset\$1 or sub-set\$1) with contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:21	
22	BRS	10	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:21	
23	BRS	2577	702/84, 104, 183, 189, 190, 191, 196.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 13:58	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	1585	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
25	BRS	1623	700/29,33,44,38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
26	BRS	508	708/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
27	BRS	787	73/2,7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
28	BRS	876	706/14,24,33,52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 14:00	
29	BRS	10	defin\$3 with (subset\$1 or sub-set\$1) with contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	122	analy\$4 with measur\$6 with var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:50	
31	BRS	37	analy\$4 with measur\$6 with var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:53	
32	BRS	0	analy\$4 with measur\$6 with (subset\$1 or sub-set\$1) with var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:54	
33	BRS	12	analy\$4 with measur\$6 with (subset\$1 or sub-set\$1) and var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	0	(analys\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with set\$1 with (value\$1 or data) and defin\$3 with (sub-set\$1 or subset\$1) with (continuu\$3 or contiguous or sequential) and measur\$6 with (deviation or variation) with (sub-set\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:56	
35	BRS	2303	analy\$4 with measur\$6 with variation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:57	
36	BRS	25	analy\$4 with measur\$6 with variation same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:57	
37	BRS	54	analy\$4 with measur\$6 with variation\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:58	
38	BRS	20	analy\$4 with measur\$6 with variation\$1 with (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:58	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	13	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:58	
40	BRS	2	analy\$4 with measur\$6 with subset\$1 with communicat\$3 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:58	
41	BRS	3	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:10	
42	BRS	0	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1 and (homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:10	
43	BRS	37	analy\$4 adj set adj value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
44	BRS	31	(analys\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with (value\$1 or data) and (sub-set\$1 or subset\$1) with (continu\$3 or contiguous or sequential) and (deviation or variation) with (sub-set\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:16	
45	BRS	19	(analys\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with (value\$1 or data) and (sub-set\$1 or subset\$1) with (continu\$3 or contiguous or sequential) and (deviation or variation) with (sub-set\$1 or subset\$1) and (class\$2 or classifi\$3 or classificat\$4 or categoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:16	
46	BRS	2696	702/84,104,183,189,190,191,196.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 13:58	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	1615	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
48	BRS	1639	700/29,33,44,38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
49	BRS	525	708/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
50	BRS	789	73/2,7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 13:59	
51	BRS	892	706/14,24,33,52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 14:00	
52	BRS	28022	(analys\$3 or analys\$3 or diagnos\$3) with set with (value\$1 or data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/24 14:01	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	0	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (determin\$3 or defin\$3) with subset\$1 with (continuous or contiguous) with valu\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 14:02	
54	BRS	2	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (determin\$3 or defin\$3) with subset\$1 with (continuous or contiguous) with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 14:03	
55	BRS	0	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (determin\$3 or defin\$3) with subset\$1 with (continuous or contiguous) with value\$1 and predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 14:04	
56	BRS	1747	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 14:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	5	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (determin\$3 or defin\$3) with (sub-set\$1 or subset\$1) with (continuous or contiguous) and predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 15:59	
58	BRS	1	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (determin\$3 or defin\$3) with (sub-set\$1 or subset\$1) with (continuous or contiguous) and (differen\$2 or residual) with measur\$6 with predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 14:08	
59	BRS	14	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (sub-set\$1 or subset\$1) with (continuous or contiguous) and predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 16:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
60	BRS	6	(analys\$3 or analyz\$3 or diagnos\$3) with set with (value\$1 or data\$1) and (sub-set\$1 or subset\$1) with (continuous or contiguous) and predicted with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/24 16:02	
61	BRS	0	analy\$4 with measur\$6 with value\$1 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 10:49	
62	BRS	3472	(analys\$3 or analyz\$3) with (differen\$2 or variance or residual\$1) and (differen\$2 or compar\$4) with (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 10:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
63	BRS	558	(analyz\$3 or analyz\$3) with (differen\$2 or variance or residual\$1) and (differen\$2 or compar\$4) with (subset\$1 or sub-set\$1) with (reference\$1 or threshold\$1 or predetermined or desired or histor\$6 or baseline\$1 or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 10:55	
64	BRS	420	(analyz\$3 or analyz\$3) with (differen\$2 or variance or residual\$1) and (differen\$2 or compar\$4) with (subset\$1 or sub-set\$1) with (reference\$1 or threshold\$1 or predetermined or desired or histor\$6 or baseline\$1 or expected or predefined or preset\$4) and (continuous\$2 or contiguous\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:32	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	11	(analyz\$3 or analyz\$3) with (differen\$2 or variance or residual\$1) and (differen\$2 or compar\$4) with (subset\$1 or sub-set\$1) with (reference\$1 or threshold\$1 or predetermined or desired or histor\$6 or baseline\$1 or expected or predefined or preset\$4) and (continuous\$2 or contiguous\$2) and (index or indicies or categor\$5 or class\$2 or classif\$7) with variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 10:57	
66	BRS	0	analy\$4 with measur\$6 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 10:58	
67	BRS	133	analy\$4 with measur\$6 with (residual\$1 or variation\$1 or differen\$2) with (classify\$3 with categoriz\$3 or class\$2 or categor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:01	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
68	BRS	0	analy\$4 with measur\$6 with (residual\$1 or variation\$1 or differen\$2) with (classify\$3 with categoriz\$3 or class\$2 or categor\$6) with (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:01	
69	BRS	1	analy\$4 with measur\$6 with (residual\$1 or variation\$1 or differen\$2) with (classify\$3 with categoriz\$3 or class\$2 or categor\$6) same (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:01	
70	BRS	26	analy\$4 with measur\$6 with variation same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:05	
71	BRS	1	"6377907".PN.	USPAT; USOCR	2005/07/25 11:06	
72	BRS	1	"6073089".PN.	USPAT; USOCR	2005/07/25 11:07	
73	BRS	56	analy\$4 with measur\$6 with variation\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
74	BRS	21	analy\$4 with measur\$6 with variation\$1 with (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:48	
75	BRS	15	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:16	
76	BRS	5	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:18	
77	BRS	2	analy\$4 with measur\$6 with subset\$1 with communicat\$3 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:23	
78	BRS	3	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
79	BRS	0	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1 and (homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:23	
80	BRS	63	(homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:32	
81	BRS	2	(homoscedastic or heteroscedastic) and communicat\$3 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:32	
82	BRS	12	(homoscedastic or heteroscedastic) and nois\$1 with measur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:32	
83	BRS	40	analy\$4 adj set adj value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:38	
84	BRS	2	(analy\$4 adj set adj value\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 11:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
85	BRS	4	variance with analysis with network with operation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:46	
86	BRS	152	variance with analysis and network with operation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:46	
87	BRS	4	variance with analysis same network with operation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:46	
88	BRS	5	variance with analysis same network with operat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:47	
89	BRS	5	variance with analysis and network with operat\$3 and (differen\$2 or compar\$4) with (subset\$1 or subset\$1) with (reference\$1 or threshold\$1 or predetermined or desired or histor\$6 or baseline\$1 or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 11:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
90	BRS	4	analy\$4 with measur\$6 with (deviation\$1 or var\$6) with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:18	
91	BRS	314	measur\$6 with variation with residual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:20	
92	BRS	12	measur\$6 with variation with residual and subset\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:21	
93	BRS	10	defin\$3 with (subset\$1 or sub-set\$1) with contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:21	
94	BRS	12	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:21	
95	BRS	91	continuous with variance with analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
96	BRS	0	continuous with variance with analysis and measur\$6 with communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:28	
97	BRS	1	continuous with variance with analysis and measur\$6 same communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:28	
98	BRS	1705	continuous with variance with analysis (difference or variance or residual\$1) with (subset\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:29	
99	BRS	0	continuous with variance with analysis and (difference or variance or residual\$1) with (subset\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:29	
100	BRS	0	continuous with variance with analysis with (subset\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:29	
101	BRS	0	continuous with variance with analysis with (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
102	BRS	2	continuous with variance with analysis same (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:29	
103	BRS	27	continuous with variance with analysis and (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:30	
104	BRS	8	continuous with variance with analysis and (subset\$1 or sub-set\$1) and (network or communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:30	
105	BRS	10	defin\$3 with (subset\$1 or sub-set\$1) with contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:50	
106	BRS	0	analy\$4 with measur\$6 with value\$1 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:50	
107	BRS	127	analy\$4 with measur\$6 with var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
108	BRS	40	analy\$4 with measur\$6 with var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:53	
109	BRS	0	analy\$4 with measur\$6 with (subset\$1 or sub-set\$1) with var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:54	
110	BRS	32	(analys\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with (value\$1 or data) and (sub-set\$1 or subset\$1) with (continuu\$3 or contiguous or sequential) and (deviation or variation) with (sub-set\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:54	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
111	BRS	0	(analys\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with set\$1 with (value\$1 or data) and defin\$3 with (sub-set\$1 or subset\$1) with (continuu\$3 or contiguous or sequential) and measur\$6 with (deviation or variation) with (sub-set\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:56	
112	BRS	13	analy\$4 with measur\$6 with (subset\$1 or sub-set\$1) and var\$6 with (classify\$3 or categoriz\$3 or classif\$7 or categor\$4) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:56	
113	BRS	2385	analy\$4 with measur\$6 with variation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:57	
114	BRS	26	analy\$4 with measur\$6 with variation same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 12:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
115	BRS	56	analy\$4 with measur\$6 with variation\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:58	
116	BRS	21	analy\$4 with measur\$6 with variation\$1 with (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:58	
117	BRS	15	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:58	
118	BRS	2	analy\$4 with measur\$6 with subset\$1 with communicat\$3 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 12:58	
119	BRS	3	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/25 13:10	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
120	BRS	0	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1 and (homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:10	
121	BRS	40	analy\$4 adj set adj value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:15	
122	BRS	32	(analyz\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with (value\$1 or data) and (sub-set\$1 or subset\$1) with (continuu\$3 or contiguous or sequential) and (deviation or variation) with (sub-set\$1 or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:16	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
123	BRS	20	(analys\$3 or analyz\$3 or diagnos\$3 or diagnoz\$3) with (value\$1 or data) and (sub-set\$1 or subset\$1) with (continu\$3 or contiguous or sequential) and (deviation or variation) with (sub-set\$1 or subset\$1) and (class\$2 or classify\$3 or classificat\$4 or category\$3 or categoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:16	
124	BRS	116	analysis with (variance or residual\$1 or difference\$1) with (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:29	
125	BRS	3	analysis with (variance or residual\$1 or difference\$1) with (subset\$1 or sub-set\$1) and measur\$6 with observ\$3 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
126	BRS	420	(analyz\$3 or analyz\$3) with (differen\$2 or variance or residual\$1) and (differen\$2 or compar\$4) with (subset\$1 or sub-set\$1) with (reference\$1 or threshold\$1 or predetermined or desired or histor\$6 or baseline\$1 or expected or predefined or preset\$4) and (continuous\$2 or contiguous\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
128	BRS	3	(analyz\$3 or analyz\$3) with (differen\$2 or variance or residual\$1) with (sub-set\$1 or subset\$1) and (differen\$2 or compar\$4) with (subset\$1 or sub-set\$1) with (reference\$1 or threshold\$1 or predetermined or desired or histor\$6 or baseline\$1 or expected or predefined or preset\$4) and (continuous\$2 or contiguous\$2) with (subset\$1 or sub-set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/25 13:45	



Creation date: 08-01-2005
Indexing Officer: TTRINH2 - THANH TRINH
Team: OIPEBackFileIndexing
Dossier: 11084586

Legal Date: 07-28-2005

No.	Doccode	Number of pages
1	APBD	4

Total number of pages: 4

Remarks:

Order of re-scan issued on